



EASYGATE

Elite (2024)




Design of turnstiles: EASYGATE–Elite(selection heights wings – STANDARD)


Height=900




Height=990




Height=1000–1300



Height=1400 (Flag Shape)




Height=1500–1800 (Flag Shape)




Design of turnstiles: EASYGATE–Elite(selection heights wings – Hinge Capping)


Height=900




Height=990




Height=1000–1300



Height=1400 (Flag Shape)




Height=1500–1800 (Flag Shape)




Design of turnstiles: EASYGATE–Elite

Selection of passage width


Passage width=550
Max heights wings=1800




Passage width=600
Max heights wings=1800




Passage width=650
Max heights wings=1800




Passage width=700
Max heights wings=1800




Passage width=750
Max heights wings=1800




Passage width=800
Max heights wings=1800




Passage width=850
Max heights wings=1800




Passage width=900
Max heights wings=1800




Passage width=920
Max heights wings=1800




Passage width=950
Max heights wings=1800




Passage width=1000
Max heights wings=1800




Passage width=1050
Max heights wings=1400




Passage width=1100
Max heights wings=1400



Passage width=550 (single-wing variant)
Max heights wings=1800




Passage width=600 (single-wing variant)
Max heights wings=1400




Modification of the wings


Wing Light




Wing Light and Hinge Capping



Wing Light (full)




Wing Light (full) and Hinge Capping




Design of turnstiles: EASYGATE–Elite (18 sensors / Wing: toughened glass 10mm)

cominfo		
DATE	SCALE	FORMAT
June 2025	1:20	A1


Turnstile: EasyGate–Elite–G–M–2W




Turnstile: EasyGate–Elite–G–M–1W



Turnstile: EasyGate–Elite–G–S–1W




Turnstile: EasyGate–Elite–G–S–0W




Design of turnstiles: EASYGATE–Elite (26 sensors / Wing: toughened glass 10mm)


Turnstile: EasyGate–Elite–G–M–2W




Turnstile: EasyGate–Elite–G–M–1W



Turnstile: EasyGate–Elite–G–S–1W




Turnstile: EasyGate–Elite–G–S–0W




Modification of turnstiles: EASYGATE–Elite


Modification for Card Collector (upper)




Modification for EasyScan RFID (upper)




Fixed glass barrier (Long)




Fixed glass barrier (Long) – Hinge Capping




Modification for Lane Light (front)



Modification for EasyScan RFID (front)




Modification for RFID (front)




Modification of turnstiles: EASYGATE–Elite


Sensors wall – Top mounted (18 sensors)



Sensors wall – Flush mounted (18 sensors)



Sensors wall – Top mounted (26 sensors)



Sensors wall – Flush mounted (26 sensors)

