


EASYGATE


LG






Design of turnstiles: EASYGATE-LG (Example of installation)

cominfo		
DATE	SCALE	FORMAT
October 2024	1:20	A1




Design of turnstiles: EASYGATE-LG (Lid: Glass)




Design of turnstiles: EASYGATE-LG (Lid: Stainless Steel)












cominfo		
DATE	SCALE	FORMAT
October 2024	1:20	A1










Technical drawing of a standard 1200mm wide door. The drawing shows a top-down view of the door with a handle and lock mechanism. The handle is a horizontal bar with a central lock cylinder. The door is 1200mm wide and 160mm high. The handle is 330mm long and 245mm wide. The lock cylinder is 330mm long and 245mm wide. The handle is mounted on a 160mm high base. The door is labeled "Standard 1200".





Technical drawing of a rectangular box. The overall width is 420, the overall height is 1200 (Standard), and the depth is 160. The box has a central opening with a width of 510. The top corners are rounded with a radius of R30. Arrows indicate the direction of flow or force: a large arrow pointing right on the left side, a smaller arrow pointing left inside the central opening, and a large arrow pointing left on the right side.




Technical drawing of a three-part assembly. The drawing shows three vertical rectangular components. The central component has a width of 330 and a height of 960. It features a central vertical slot with a width of 245 and a height of 160. The two side components have a width of 245 each. Arrows indicate a flow path: entering from the top left, moving right through the central slot, then down, then left, and finally up through the side components.




Turnstile: EASYGATE-LG-N-S (narrow)

Turnstile: EASYGATE-LG-N-M (narrow)


Turnstile: EASYGATE-LG-W-M (wide)




Turnstile: EASYGATE-LG-W-S (wide)




Turnstile: EASYGATE-LG-W-M (wide/narrow)




Turnstile: EASYGATE-LG-N-S (narrow)




Turnstile: EASYGATE-LG-N-M (narrow)



Turnstile: EASYGATE-LG-W-M (wide)



Turnstile: EASYGATE-LG-W-S (wide)



Turnstile: EASYGATE-LG-W-M (wide/narrow)
--

